BEAGAME CHANGER



WORLD WAR II MIGARAND

二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版

* The images displayed here are for reference only; the actual contents for the AEG fetched will be dependent on the regulation or law compliance in various markets or on the specific request by respective AEG dealers.

Brief

As a part of the history and almost 70 years past, people still remember the image that en clips lay down in foxhole, the noise of "Ping" sound, and the smell of 30-06 rounds.

All these combined with courage, honor and discipline had created stories to share. All of these stories build up a role model to follow.

From WWII, Korea to Vietnam, The war has changed, but the spirits are never fade away.

A Legend that ICS shouldn't miss, The M1 Garand.





Real Wood Stock

Linseed oil is recommend for the maintains because this stock isn't just painting. Made by one piece real wood and the CNC process of real M1, every M1 Stock has unique wood grain and ready for further customization.



Bolt Carrier

Bolt carrier can be lock at rear after rack the bolt carrier backward, then press the magazine. It helps you to adjust Hop-Up.



Spatial Battery Room

Up to MC-130 (9.6V 3300mAh) battery, extend your fun of Airsoft.



Front & Rear Sight, Engraved Reciever

Realistic front and rear sight, windage and elevation adjustable. Unquie serial number marking on receiver.



Immersive Trigger Assembly

Realistic assembly, safety functional as real one.







Sling Ring



42 Round Magazine



WORLD WAR II MIGARAND 二戦槍系列-M1葛蘭特半自動步槍 木紋全金屬版

One Piece H-UP Chamber

One piece H-UP chamber lets the BBs be fed smoothly, and avoids feeding problem from H-UP misplacement. In addition, the newly designed adjusting ring makes the H-UP adjustment much easier and smoother.



Features

WORLD WAR II MIGARAND 二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版

New Generation Gear Box

This gear box is design to use 8mm bearing which makes gears more stable and silence.







Turbo 3000

High end ICS Turbo 3000, build for the high torque gears and high FPS spring, is the most durable one in ICS motors.



DC:8.4V-12V; Suggest to use 9.6V 3300mAh Ni-MH



WORLD WAR II MIGARAND 二戰槍系列-M1葛蘭特半自動步槍 木紋全金屬版

New CNC Steel Gears

Assembled with upgrade steel gear set.





Nylon Fiber Piston

The new piston body is made of Nylon fiber filler reinforcement and now the standard on every ICS AEG for delivering better performance and better service life. The cylinder head of 8 orifices enhances air suction and discharge, and thus the piston runs smoothly and agilely. Consequently in air compressing, it gives less stress to the spring, piston, gears, and motor; whereas in air releasing, the O-ring expands to make better air-sealing and to deliver more powerful firing rate.



Low Resistance Switch Assembly And Mini Fuse

AEGs are powered by electricity; therefore, it's very important to design and setup a low current resistance operating environment for AEGs. ICS deploys new conductor material on switch plate to eliminate the resistance which caused by heat. Also the trigger contact switch is made hollow and robust of enhanced heat dissipation configuration. The new low resistance switch assembly provides the best efficiency. We also takes new 16AWG wire and new Mini fuse on ICS products. All contact points are nickel plated and also the mini fuse to lower the electric resistance. The electric current is much stable and produces less heat. In short, with all of these enhancements, ICS assures the AEGs perform at low electric resistance, spark free, and extended service life.

All internal wire is upgrade to 16 AWG Teflon wire, it withstands a rating voltage of 300V, temperature 200°C, resistance 15.6 ohm/km and 17.0 AMR capacitance, and is the highest quality standard applied in the AEG industry.





Cylinder Head & Air Nozzle

One piece cylinder head and additional O-ring inside the air nozzle to increase the air tightness.



Specifications(Standard)

ICS-202 M1 GARAND

Weight: 3600g

Full Length: 1102mm

Barrel Length: 537mm

Inner Barrel Length: 610mm

Muzzle Velocity: 120m/s (390fps ± 15)

Motor: TURBO 3000(Short Pin)

Spring: M120

Battery: MC-130 (9.6V, 3300mAh)

Pellet Capacity: 42 rounds 6mm BBs

Main Material: Wooden/Metal/Engineering Plastic

1. Battery type recommended, not included.

2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



No.6, Lane 205, Dongjhou Rd., Shengang Township, Taichung County 429, Taiwan 台中市神岡區東洲路205巷6號 886-4-25256461 886-4-25256484

