5 AIRSOFT

AIRSOFT ELECTRIC GUN




中英文國際版·INTERNATIONAL EDITION

PRINTED BY ICS

INNOVATION COMPETITION

SATISFACTION





Everyone wants to be the winner in battlefields wherever it is real life or just a game, and the gun in each fighter's hands plays an important role which determines who is on the winning side. The exterior of a gun is obvious: receivers, sights, and barrels. However, the inside of an ICS AEG is a symphony composed by more than 400 parts that go through around 20 types of precision machinery processes by our uncompromised team works. The inner beauty of the ICS AEG is our passion, efforts, and spirit.

Since ICS founder and CEO Mr. Chu entered the airsoft replica market in 1995, ICS was the first AEG company specialized in designing and manufacturing in Taiwan and was the 3rd of its kind worldwide. As a professional AEG brand, "highly innovative, highly efficient, and high quality" is the principle of our enterprise, and we insist in accepting no defective part from the factories, making no mistake on the production line, and releasing no defective product to the market. In 2014, ICS gets ISO 9001 Quality Management System Certification.

Thus, ICS is not only successfully earning the acknowledgment from our customers around the world, but also leading the AEG industry of Taiwan to enter the global market.

To outstand from the competitors, ICS has a strong R&D team consists of professionals from 16 different industries. We constantly devote efforts into product design while obtain patents for our designs and authorizations from firearm companies to provide excellent user experiences, and to ensure the satisfaction from our customers. This is the mission of ICS: "Innovation, Competition, and Satisfaction."

ICS, The Best Thing We Create.









	PAR MK3 Tan series	07
	M4 Tubular series	09
	M4A1 series	10
	M16A3 series	11
	M4 CQB series	12
	M4 Tactical series	13
	M4 Camo Digital series	15
	M4 Tan series	16
	M4 Sportline series	17
	Combat boy series	18
	CXP series	19
	IK74 series	27
	M1 Garand	31
	M3 Submachine gun	33
	L85/86 series	35
	G33 series	39
	MX5 series	43
	MGL series	51
	ICAR series	55
	SG series	59

PAR MK3 series 03

提克血統 原槍工藝 SERIES

The perfect combination of the Czech Republic art and machinery workmanship

PAR MK3

5.56mm 1.223Rem

MK1686888

PROARMS Armory is an armory manufacturer from the Czech Republic where has exquisite military industry and fine workmanship. The PAR Mk3 is the perfect combination of the Czech Republic art and machinery workmanship. Therefore, ICS and PROARMS Armory work together to acquire the official authority to manufacture the airsoft replica of PAR Mk3. The ICS PAR Mk3 will bring the players to another utmost level of experience.

Authorized by PRO RMS

Proarms Armory Itd., Czech Republic, and the Proarms logo are registered trademarks of Proarms Armory Itd., Czech Republic – www.proarms-armory.com – and are used for airsoft replicas under license from Tolmar d.o.o., Slovenia – www.tolmar.biz















*Turn the selector to point the rear for full auto mode.

PAR MK3 MTR SERIES





1:1 Scale replica





EBB system



ICS-291 PAR Mk3 MTR

MTR stock-Proline 戰術伸縮托-戰術標準版

■ ICS-291 **M**◆

:930 / 835(mm)

:120 m/s(395fps)

:Small connector

:Li-Po 11.1V 1000mAh

:375

:3350

:300

:M120

:Long

:Full metal











Length/Retractable

Barrel length(mm)

Muzzle velocity

Weight(g)

Battery type

Connector size

Mag. capacity

Spring

Material

Motor axle



MTR Stock & battery stock tube

^{2.} For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.

PAR MK3 MTR SERIES













	ICS-290	ICS-292	ICS-293
Length/Retractable	:828 / 733(mm)	:987 / 892(mm)	:838 / 743(mm)
Barrel length(mm)	:263	:420	:263
Muzzle velocity	:120 m/s(395fps)	:120 m/s(395fps)	:120 m/s(395fps)
Weight(g)	:3190	:3470	:3350
Battery type	:Li-Po 11.1V 1000mAh	:Li-Po 11.1V 1000mAh	:Li-Po 11.1V 1000mAh
Connector size	:Small connector	:Small connector	:Small connector
Mag. capacity	:300	:300	:300
Spring	:M120	:M120	:M120
Material	:Full metal	:Full metal	:Full metal
Motor axle	:Long	:Long	:Long



ICS-290 PAR Mk3 C MTR

MTR stock-Proline / 戰術伸縮托-緊緻短管版



ICS-292 PAR Mk3 R MTR

MTR stock-Proline / 戰術伸縮托-步槍長管版





ICS-293 PAR Mk3 CQB MTR

MTR stock-Proline / 戰術伸縮托-城市突擊版

PAR MK3 CRANE SERIES















NEW ICS-226 PAR Mk3

Sopmod stock-Proline / 海豹托-標準版



ICS-228 PAR Mk3 CQB

Sopmod stock-Proline / 海豹托-城市突擊版



PAR MK3 CRANE SERIES

Connector size

Mag. capacity

Spring

Material

Motor axle

:Small connector

:300

:M120

:Long

:Full metal

:Small connector

:300

:M120

:Long

:Full metal

:Small connector

:300

:M120

:Long

:Full metal











:Small connector

:300

:M120

:Long

:Full metal

^{1.} Battery type recommended, not included.

For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



PAR MK3 TAN SERIES















IMT-226-1 PAR Mk3

Sopmod stock / 海豹托標準版







IMT-225-1 PAR Mk3 C Proline

Sopmod stock / 海豹托緊緻短管版




IMT-227-1 PAR Mk3 R Proline Sopmod stock / 海豹托步槍長管版



IMT-228-1 PAR Mk3 CQB

Sopmod stock / 海豹托城市突擊版











Retractable stock-Proline / 圓管護木-金屬長版



High density aluminium extrusion and CNC milling Imported from the US






Split gearbox



Considerate design of adjustable rail



High capacity realistic magazine (300 rounds)



ICS-221 M4A1 Tubular R.A.S. S

Retractable stock Proline / 圓管護木-金屬短版













Length / Retractable :875(mm)

Barrel length (mm) :375 Muzzle velocity :120 m/s(395fps)

Weight (g) :3200

:8.4V 3300mAh MC-131 Battery type

Connector size :Small connector

Mag. capacity :M120 Spring :Full metal Material Motor axle :Long



Proline」/ C15固定托-金屬版



Length / Retractable :1000(mm)

Barrel length (mm) :375

:120 m/s(395fps) Muzzle velocity

Weight (g) :3300

:8.4V 3300mAh MC-131 Battery type :Small connector Connector size

Mag. capacity :M120 Spring :Full metal Material Motor axle :Long

ICS-126 Commando Crane stock

Proline / 電池伸縮托-金屬版

Muzzle velocity Weight (g)

Battery type

Connector size

Mag. capacity Spring Material

:M120 Motor axle


Length / Retractable :815 / 730(mm)

Barrel length (mm) :263

:120 m/s(395fps) :2400

:9.6V 2000mAh MC-129 :Small connector

:Full metal



2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



ICS-20 M4A1

Retractable stock Proline / 伸縮托-金屬版

Length / Retractable :873 / 778(mm) Barrel length (mm) :375

Muzzle velocity :120 m/s(395fps) Weight (g) :3000

:9.6V 2000mAh MC-136 Battery type

Connector size :Small connector

Mag. capacity :300 :M120 Spring Material :Full metal Motor axle :Long







ICS-120 CQB

ICS-29 CQB

Pistol

Short fixed stock Proline / 短固定托-金屬版

Proline / 手槍版-金屬版





ICS-28 CQB

Retractable stock Proline / 伸縮托-金屬版

	ICS-27 M	ICS-28 M	ICS-29 M	ICS-120 M
Length / Retractable	:700 / 480(mm)	:690 / 600(mm)	:430(mm)	:600(mm)
Barrel length (mm)	:185	:185	:185	:185
Muzzle velocity	:120 m/s(395fps)	:120 m/s(395fps)	:120 m/s(395fps)	:120 m/s(395fps)
Weight (g)	:2920	:2677	:2000	:2200
Battery type	:9.6V 1600mAh MC-135	:9.6V 1600mAh MC-135	:9.6V 1600mAh MC-135	:8.4V 1500mAh MC-134
Connector size	:Small connector	:Small connector	:Small connector	:Small connector
Mag. capacity	:300	:300	:300	:300
Spring	:M120	:M120	:M120	:M120
Material	:Full metal	:Full metal	:Full metal	:Full metal
Motor axle	:Long	:Long	:Long	:Long



- Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.





Mag. capacity :300
Spring :M120
Material :Full metal
Motor axle :Long



Connector size :Small connector
Mag. capacity :300
Spring :M120
Material :Full metal
Motor axle :Long



:Full metal

:Long

Material

Motor axle



- 1. Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



戰術系列·突擊步槍

ICS-26 S.I.R.

Retractable stock Proline / 伸縮托-金屬版 (non available in US and Canada)



Length / Retractable: 873 / 778(mm)

Barrel length (mm) :375 Muzzle velocity :120 m/s(395fps)

Weight (g)

:9.6V 1500mAh MC-137 Battery type :Small connector

Connector size Mag. capacity :300

:M120 Spring Material :Full metal Motor axle :Long

ICS-128 S.I.R.

Crane stock

Proline / 電池伸縮托-金屬版

(non available in US and Canada)



Length / Retractable :910 / 825(mm)

Barrel length (mm) :375

:120 m/s(395fps) Muzzle velocity

:3600 Weight (g)

:9.6V 2000mAh MC-129 Battery type

Connector size :Small connector

Mag. capacity :300 :M120 Spring :Full metal Material Motor axle :Long













- 1. Battery type recommended, not included.
- 2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



- 1. The digital camo texture style is licensed by Tiger Stripe / A-TACS and Multicam.
- 2. The special polishing process of the water-transfer printing gives every gun an unique look.
- 3. Type "DD" digital desert is the most popular design and a USA Army specialty.





IMT-022-1 R.I.S.

Retractable stock / 伸縮托

Proline / 金屬沙色版

M4 TAN

沙色系列)









-運-動-版--PLASTIC **VERSION-**



- *The same design as metal M4.
- *ICS is able to fulfill your request for the transparent translucent plastic version of AEGs.

























- Battery type recommended, not included.
- 2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.













GAME AIRSOFT













ICS 獨家發售/CXP系列概念槍 Exclusively made and supplied by ICS

CXP-UK1



MTR stock-Proline / 戰術伸縮托-金屬版



Reinforced piston and metal hop up unit



New EBB reinforced split gearbox



Ambidextrous charging handle is comfortable for right and left handed shooters



1. Battery type recommended, not included.

For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail. Six postition adjustable MTR stock is comfortable and functional

Features

ICS came out with a brand new EBB split gearbox design. The new upper gearbox is extremely durable, simple, and completely modular.

Function and reliability testing was performed on the units in excess of 100,000 rounds with no noticeable wear and tear on the gearbox. Every detail of TransforM4 CXP-UK1 was





Motor axle













KEYMOD SYSTEM HANDGUARD















Handguard possess comfortable grip and large space inside



Tactical sling ring



運動版系列

SPORTLINE



Keymod system rail



Easy change to M4 compatible mag.





Pistol-Proline / 手槍金屬版





ICS CXP-15 has brand new design ICS Keymod system handguard and upper rail. The detail design of ICS CXP-15 appearance follows the detail appearance of the real gun. ICS utilizes industrial grade plastic material to reproduce the real gun texture and weight. It feels like a real assault rifle when you hold it.



	■ ICS-171 M	ICS-170	ICS-173 M	◯ ICS-172 🔂
Length/Retractable		:732 / 642(mm)	:472(mm)	:472(mm)
Barrel length(mm)	:200	:200	:200	:200
Muzzle velocity	:120 m/s(395fps)	:100 m/s(330fps)	:120 m/s(395fps)	:100 m/s(330fps)
Weight(g)	:2200	:1600	:1900	:1300
Battery type	:9.6V 1500mAh MC-142	:9.6V 1500mAh MC-142	:9.6V 1500mAh MC-142	:9.6V 1500mAh MC-142
Connector size	:Small connector	:Small connector	:Small connector	:Small connector
Mag. capacity	:300	:300	:300	:300
Spring	:M120	:M100	:M120	/:M100
Material	Full metal	:Engineering plastic	:Full metal	:Engineering plastic
Motor axle :	Long	:Long	:Long	:Long

- 1. Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



ICS-238 CXP-16 L

ENTERPRISE CO. LTD.

Sopmod stock / 海豹托-金屬長版 Proline

Length / Retractable :980 / 885(mm)

Barrel length (mm) :303

Muzzle velocity :120 m/s(395fps)

Weight (g)

:9.6V 1500mAh MC-148 Battery type

:Small connector Connector size

Mag. capacity :M120 Spring Material :Full metal Motor axle :Long



ICS-239 CXP-16 L

Length/Retractable :825 / 730(mm)

Sopmod stock 海豹托

Barrel length(mm) :303

Muzzle velocity :100 m/s(330fps)

Weight(g) :2700

Battery type :9.6V 1500mAh MC-148 Connector size :Small connector

Mag. capacity :300 Spring :M100

Material :Engineering plastic

Motor axle :Long



Sopmod stock / 海豹托 Proline / 金屬短版

Length / Retractable :745 / 650(mm)

Barrel length (mm) :200

Muzzle velocity :120 m/s(395fps)

Weight (g) :2600

Battery type :9.6V 1500mAh MC-148

Connector size :Small connector

Mag. capacity :M120 Spring Material :Full metal Motor axle :Long



ICS-237 CXP-16 S

Sopmod stock 海豹托

Length/Retractable :745 / 650(mm) Barrel length(mm) :200

Muzzle velocity

:100 m/s(330fps) Weight(g) :2000

Battery type :9.6V 1500mAh MC-148

Connector size :Small connector

:300 Mag. capacity Spring :M100

Material :Engineering plastic

Motor axle :Long














For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.







Exclusively made and supplied by ICS


IMT-060-1 CXP-08 Proline Retractable stock / 伸縮托-金屬沙色版 運動版系列 SPORTLINE

IPT-160-1 CXP-08 Retractable stock 伸縮托













1K574U/IK74M

俄羅斯聯邦制式步槍



Front sight set



Stamping made receiver



Adjustable hop up



Large battery room, battery type 9.6V 1500mAh (MC-139)




ICS-35 IK74M

Folding stock / 折疊托



Real gun design, dewaxing processes IKS74U / IK74M



Steel plate made body set



Real steel welding look & easy change to IK74M stock





World War II / Korean War / Arab-Israeli War / Hukbalahap Rebellion / First Indochina War / Suez Crisis / Vietnam War / Cambodian Civil War / Northern Ireland Troubles / Other conflicts around the world

As a part of the history and almost 70 years past, people still remember and image that en bloc clips lay down in the foxhole, the noise of "Ping" sound, and the smell of 30-06 rounds.

All these combined with courage, honor and discipline had created stories to share. All of these stories build up a role model to follow.

From World War II scenes, Korea, Vietnam, Desert Storm and to Mid-Asia turmoil, the war has been changed, but the spirits are never declined!

A Legend that ICS should never miss is the M1 Garand.

Marlene Dietrich member (ICS & IberEngine Official Team)
Photographer: Almudena Mateos

	103-202
Length	:1100(mm)
Barrel length(mm)	:610
Muzzle velocity	:120 m/s(395fps)
Weight(g)	:3600
Battery type	:9.6V 2000mAh MC-136
	:9.6V 1600mAh MC-141
	:9.6V 1500mAh MC-148
Connector size	:Small connector
Spring	:M120
Material	:Full metal
Motor axle	:Short











MIGARAND

二戰槍系列-M1 葛蘭特半自動步槍 木紋全金屬版

ICS-201 M1 GARAND 8mm COMMING SOON!

Fixed stock Cal. Limited / 固定托-木紋全金屬版-紀念版



Rotate Locking Bolt



Newly Designed Gearbox



Immersive Rear Sight







Fixed stock-6mm Cal. / 固定托-木紋全金屬版





The Operating Rod



Real wood stock



Immersive trigger assembly



Spatial battery room for up to 9.6V 3300mAh

- 1. Battery type recommended, not included.
- 2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



Features: Battery type MC-144 (1500mAh / 9.6V)

M3 SUBMACHINE GUN

二戰槍系列-M3 黃油槍

ICS launched the M3 submachine gun (ICS-200) in 2011 which is designed with innovative concept and creative features that give the M3 submachine gun the newest construction and immersive performance.

The player who adores scenes and objects from World War II would enjoy the fun and realistic war effect that offered by the ICS M3 capability.



Integrated hop up, realistic cocking handle & realistic automatic firing



Realistic appearance details High capacity metal magazine (430 rounds)

- Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.





^{1.} Battery type recommended, not included.

For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



英國皇家突擊步槍

The unique features and innovations make ICS L85 A2 series the excellent AEGs for play and collection.





L85 A2 CARBINE

For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.







雙色G33次世代戰術槍型

TWO-TONE

Different appearance, same performance 縱橫沙場·與眾不同



Improved tactical handguard



Gen3 gearbox



O-ring inside the air muzzle for better air seal (MH-31)



One piece hop up set



SFS stock / SFS狙擊折疊托-雙色版



Ambi-fire mode selector




ICS SFS Custom stock



Anodized barrel

	=100 005
	■ ICS-235 P
Length/Retractable Folded	:746 / 716 / 516(mm)
Barrel Length(mm)	:263
Muzzle Velocity	:120 m/s(395fps)
Weight(g)	:2550
Battery Type	:9.6V 1500mAh MC-133
	:8.4V 1500mAh MC-134
Slow Charger	:Small connector
Mag. Capacity	:300
Spring	:M120
Material	:Engineering plastic
Motor axle	:Short






















全新G33 次世代的戰術版槍型



7

:Short

Motor axle

Sling swivel(MC-173)









現代化戰鬥系統 Modern Concept Combat System



MS Charging Handle



Metal Rear Sight Set

SFS Stock




MS Tactical Handguard





SFS stock-Proline / SFS狙擊折疊托-金屬版







^{2.} For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.





MX5 WEAPON LIGHT SYSTEM

戰術衝鋒槍 · 槍燈護木系列

ICS-113 MX5-P A5

Retractable stock-Proline 伸縮托-金屬版



ICS-112 MX5 A5

Retractable stock-Proline 伸縮托-金屬版



ICS-112 ICS-113 ICS-68 ICS-68

Length/Retractable	:674 / 534(mm)	:674 / 534(mm)	:674 / 534(mm)
Barrel Length(mm)	:230	:230	:230
Muzzle Velocity	:120 m/s(395fps)	:120 m/s(395fps)	:100 m/s(330fps)
Weight(g)	:2150	:2150	:1550
Battery Type	:8.4V 1500mAh MC-134	:8.4V 1500mAh MC-134	:8.4V 1500mAh MC-134
Connector size	:Small connector	:Small connector	:Small connector
Mag. Capacity	:230	:230	:230
Spring	:M120	:M120	:M100
Material	:Full metal	:Full metal	:Engineering plastic

:Long

:Long

Motor axle







:Long



For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



MX5 WEAPON LIGHT SYSTEM

戰術衝鋒槍 · 槍燈護木系列

ICS-113 MX5-P A5

伸縮托-金屬版



ICS-112 MX5 A5

Retractable stock-Proline 伸縮托-金屬版



ICS-68 MX5 A5 Rractable stock / 伸縮托



	ICS-112	■ICS-113	■ICS-68
Length/Retractable	:674 / 534(mm)	:674 / 534(mm)	:674 / 534(mm)
Barrel Length(mm)	:230	:230	:230
Muzzle Velocity	:120 m/s(395fps)	:120 m/s(395fps)	:100 m/s(330fps)
Weight(g)	:2150	:2150	:1550
Battery Type	:8.4V 1500mAh MC-134	:8.4V 1500mAh MC-134	:8.4V 1500mAh MC-134
Connector size	:Small connector	:Small connector	:Small connector
Mag. Capacity	:230	:230	:230
Spring	:M120	:M120	:M100
Material	:Full metal	:Full metal	:Engineering plastic
Motor axle	:Long	:Long	:Long









For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



MX5與尾桿轉接座輕鬆結合 MX5 with stock adapter











For the majority of MX5 owners, ICS has developed and launched the unique AR stock adapter, which allows the MX5 to not just accommodate larger sized battery pack, but also to provide more dexterous tactical operations. The installation of the adapter is simple and easy for just few minutes, and the package includes sling ring and mil-spec stock tube.



^{2.} For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.




ONX5-PRO_{SERIES}

Patents acquired: I 353869 / 202381



Four different style sight posts



M.R.S. tactical handguard



Reproduce the stamped steel gun body design



The electric current break when the body is opened




SFS Sniper folding system is a quick assembly design



ICS-19 MX5-PRO MS1

SFS stock-Proline SFS狙擊折疊托-金屬版



- Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



Push the front pin to disassemble MX5-PR0 just like the way to disassemble real firearm











ICS would like to provide players a brand new experience of using AEGs. It is not easy to match our mission statement - the best thing we create, but we have to invest a lot of resources into development and research. Besides, the effort from ICS engineering team has driven the key to success; many problems and issues were solved in the process, and this master piece of AEG is brought to players. The ICS MX5-Pro series are the achievements of ICS high professional design team and many collative processes and advanced technologies. This series of products give us new picture AEGs, and have also raised the technology and design capacity to next dimension.

ICS-18 MX5-PRO

伸縮托-金屬版

Retractable stock-Proline



● Manual Manu

















ICS-14/16

ICS-13/15

ICS-07 A2

Fixed stock-Proline 早期固定托-金屬版

ICS-03 A4

Fixed stock-Proline 現代固定托-金屬版

ICS-08 A3

Retractable stock-Proline 早期伸縮托-金屬版

ICS-04 A5

Retractable stock-Proline 現代伸縮托-金屬版

ICS-16 AWFS

Folding stock-Proline 早期折疊托-金屬版

ICS-14 AWFS

Folding stock-Proline 現代折疊托-金屬版

ICS-05 SD2

Fixed stock-Proline 早期固定托-金屬版

ICS-01 SD5

Fixed stock-Proline 現代固定托-金屬版

ICS-06 SD3

Retractable stock-Proline 早期伸縮托-金屬版

ICS-02 SD6

Retractable stock-Proline 現代伸縮托-金屬版

ICS-15 SDWFS

Folding stock-Proline 早期折疊托-金屬版

ICS-13 SDWFS

ICS-01/05

Folding stock-Proline 現代折疊托-金屬版

ICS-02/06



ICS-04/08

- Battery type recommended, not included.
- 2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.

Length / Retractable Folded	:780(mm)	:740.5 / 600(mm)	:680(mm)	:640 / 500(mm)	:800 / 570(mm)	:700 / 470(mm)
Barrel Length(mm)	:230	:230	:230	:230	:230	:230
Muzzle Velocity	:120 m/s(395fps)					
Weight(g)	:2240	:2230	:2300	:2000	:2540	:2280
Battery Type	:8.4V 3300mAh MC-131	:9.6V 1500mAh MC-137	:8.4V 3300mAh MC-131	:8.4V 1500mAh MC-134	:9.6V 1500mAh MC-137	:8.4V 1500mAh MC-134
Connector size	:Small connector					

ICS-03/07

NASTACTICAL ASD 戰術衝鋒槍

ICS-17 A5 Tactical

Retractable stock-Proline 現代戰術伸縮托-金屬版





-連-動-版--PLASTIC VERSION-

The same design as metal MX5

CICS is able to fullfill your request as the transparent / translucent plastic version of AEGs.

















Patents acquired: 2573503 / 2573499 / C2098-FA01821 / US 8,707,939 B2 / M 420677









ICS-190 MGL Black



ICS-191 MGL Tan

Sopmod stock / 海豹托-沙漠色版

	ICS-190	■ ICS-191
Length / Retractable	:728.5 / 630.5(mm)	:766 / 668(mm)
Weight (g)	:2200	:2300








多管榴彈發射器-鈑金護木版

METAL RAIL HANDGUARD





The operation is same as in real steel



Adjust 6 lengths and 3 angles stock (MM-01)





伸縮托-鈑金護木短版





Length / Retractable :766 / 668(mm) :2650 Weight (g)









- O Upgrade version of MGL! Compatible with TAG Grenade and other rubber projectile body.
- O Quality material and advanced design promote MGL to a new level and breakthrough airsoft tradition.









ICAR-MRS Tactical rifle amalgamated the classic and modernization.

ICS has developed the MRS (modular rail system) for the ICAR by developing its classic well-known look and upgrading it to meet the demands of current modern war game enthusiasts.

It has been transformed into a very functional and progressive tactical rifle, which allows the user to install an infinite number of tactical accessories.

With the additional installation of a new ergonomic grip, and fully adjustable cheek rest, the new ICS ICAR MRS is also an ergonomically well designed edition to the ICS AEG arsenal.



MRS tactical module rail system (MG-35)



Adjustable cheek rest (MG-37)



Folding stock / 戰術折疊托





Tactical handguard (MG-36)



Ergonomic design new develop for tactical grip (MG-38)



Folding stock (MG-32)





63

MR5 城市科技戰。戰術系列 5 6 6 6 7













All-round of Tactical facilities, accurate shooting particularly, ergonomics advanced in target of development for SG MRS series!

Furthermore, low-visibility paint has been manipulated with real gun products.





MRS Tactical rail system (modular rail system)



Instant assembly / disassembly easy to change to SG-552 handguard (MI-25)



Ver. III gearbox (MI-08)

Made in Switzerland Cal. .223 Rem.

SIGARMS Inc. Exeter-NH SAN

₽ SG 552-2 Commando 300302



Pull charging handle to the end and fix it



SG Cheek rest (BK MI-34)




ICS-154 SG-552 MRS DE

Folding stock-Proline 折疊托-金屬版



Low-cap magazine (40 rounds) / Hi-cap magazine (400 rounds)



^{1.} Battery type recommended, not included.

For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.

- Battery type recommended, not included.
- 2. For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



SERIES



Three tactical rails for add various tactical equipments

SG Grips series (BK / DE)

55 COMMANDO SERIES 🕾 🗩 🚳 🗔 🖃















- 1. Battery type recommended, not included.
- For different requirements and regulations in various market and area, the specifications may be revised on demand, and the AEG actually fetched shall prevail.



International situation is unstable, terrorists are planning next attacks.

The demand of small scale anti-terrorist combat in war games is getting bigger and bigger. ICS has obtained the authorization from Swiss Arm Technology to manufacture SIG SG 551 & 552 assault Airsoft rifle to offer Special Forces in wargame with sufficient equipment and fire power to accomplish their mission.

Light weighted / Durable / Economical makes it the best choice for an intense airsoft game.

	ICS-55	ICS-56
Length/Folded	:927.5 / 698(mm)	:820 / 560(mm)
Barrel Length(mm)	:458	:340
Muzzle Velocity	:120 m/s(395fps)	:120 m/s(395fps)
Weight(g)	:2900	:2700
Battery Type	:9.6V 1500mAh MC-139	:9.6V 1500mAh MC-145
Connector size	:Small connector	:Small connector
Mag. Capacity	:400	:400
Spring	:M120	:M120
Material	:Full metal	:Full metal
Motor axle	:Middle	:Middle













Specification 規格	Length(mm) 全長	Folded(mm) 折疊後長度	Barrel length(mm) 內槍管長	Weight(g) 重量	Material 材質	Pellet capacity 彈匣裝填數	Spring 彈 簧	Motor 馬 達	Sportline 運動版	Tan 沙色版
ICS-01	780		229	2240	Metal	230	M120	Long pin	ICS-61	
ICS-02	740.5	600	229	2230	Metal	230	M120	Long pin		
ICS-03	680		229	1970	Metal	230	M120	Long pin	ICS-63	
ICS-04	640	500	229	2000	Metal	230	M120	Long pin	ICS-64	
ICS-05	780		229	2240	Metal	230	M120	Long pin		
ICS-06	740.5	600	229	2230	Metal	230	M120	Long pin		
ICS-07	680		229	1970	Metal	230	M120	Long pin		
ICS-08	640	500	229	2000	Metal	230	M120	Long pin		
ICS-13	800	570	229	2540	Metal	230	M120	Long pin		
ICS-14	700	470	229	2280	Metal	230	M120	Long pin		
ICS-15	800	570	229	2540	Metal	230	M120	Long pin		
ICS-16	700	470	229	2280	Metal	230	M120	Long pin		
ICS-17	653	552	229	2226	Metal	230	M120	Long pin	ICS-65	
ICS-18	650	500	229	2800	Metal	230	M120	Long pin		
ICS-19	760	730/490	229	2800	Metal	230	M120	Long pin		
ICS-20	873	778	375	3000	Metal	300	M120	Long pin	ICS-41	IMT-020-1/IPT-041-1/IMC-020-1
ICS-21	875		375	3200	Metal	300	M120	Long pin	ICS-42	
ICS-22	873	778	375	3340	Metal	300	M120	Long pin	ICS-49	IMT-022-1/IPT-049-1
ICS-23	1000		375	3300	Metal	300	M120	Long pin	ICS-45	
ICS-24	1025		515	3370	Metal	300	M120	Long pin	ICS-142	
ICS-25	873	778	375	3300	Metal	300	M120	Long pin		
ICS-26	873	778	375	3500	Metal	300	M120	Long pin	ICS-141	
ICS-27	700	480	186	2920	Metal	300	M120	Long pin		
ICS-28	690	600	186	2677	Metal	300	M120	Long pin		
ICS-29	430		186	2000	Metal	300	M120	Long pin		
ICS-30	1025		515	3750	Metal	300	M120	Long pin	ICS-143	
ICS-31	970		458	3000	Metal	550	M120	Short pin		
ICS-32	965		458	3200	Metal	550	M120	Short pin		
ICS-33	965		458	3500	Metal	550	M120	Short pin		
ICS-34	754	510	263	2700	Metal	550	M120	Short pin		
ICS-35	964	714	458	3200	Metal	550	M120	Short pin		
ICS-36	960		458	3314	Metal	550	M120	Short pin		
ICS-51	835	578	375	2800	Metal	400	M120	Middle pin	ICS-251	
ICS-52	728	470	263	2600	Metal	400	M120	Middle pin	ICS-252	
ICS-53	835	578	375	2800	Metal	400	M120	Middle pin	ICS-253	
ICS-54	728	470	263	2600	Metal	400	M120	Middle pin	ICS-254	
ICS-55	927.5	698	458	2900	Metal	400	M120	Middle pin	100 20 1	
ICS-56	820	560	340	2700	Metal	400	M120	Middle pin		
ICS-60	695	595	200	2750	Metal	300	M120	Long pin	ICS-160	IMT-060-1 IPT-160-1
ICS-85	786.5	000	483	3652	Metal	450	M120	Short pin	100 100	1111 000-1 II 1-100-1
ICS-86	912.8		550	4411	Metal	450	M120	Short pin		
ICS-87	740		420	3090	Metal	450	M120	Short pin		
ICS-91	980	750	515	3500	Metal	400	M120	Middle pin		
TOTAL STATE OF THE	The Contract of the Contract o	52018.022				10000000				
ICS-92	980	750	515	3000	Metal	400	M120	Middle pin		

Specification	Length(mm)		Barrel length(mm)	Weight(g)	Material	Pellet capacity	Spring	Motor	Sportline	Tan
規 格	全長	折疊後長度	內槍管長	重量	材質	彈匣裝填數	彈 簧	馬達	運動版	沙色版
ICS-94	980	750	515	3000	Metal	400	M120	Middle pin		
ICS-95	980	750	515	2500	Metal	400	M120	Middle pin		
ICS-96	980	750	515	3000	Metal	400	M120	Middle pin		
ICS-111	714		230	2120	Metal	230	M120	Long pin	ICS-67	
ICS-112	674	534	230	2150	Metal	230	M120	Long pin	ICS-68	
ICS-113	674	534	230	2150	Metal	230	M120	Long pin		
ICS-114	760	730/490	230	3314	Metal	230	M120	Long pin		
ICS-115	750	665	230	2000	Metal	230	M120	Long pin		
ICS-116	790	700	230	2270	Metal	230	M120	Long pin		
ICS-117	765	680	230	2250	Metal	230	M120	Long pin		
ICS-119	760	730/490	230	2050	Metal	230	M120	Long pin	ICS-69	
ICS-120	600	10000000	185	2200	Metal	300	M120	Long pin	ICS-46	
ICS-121	745	650	200	2300	Metal	300	M120	Long pin	ICS-144	
ICS-127	815	730	263	2500	Metal	300	M120	Long pin	ICS-47	IMT-127-1/IPT-047-1
ICS-128	910	825	375	3600	Metal	300	M120	Long pin	ICS-48	
ICS-151	927.5	698	458	3000	Metal	35	M120	Middle pin		
ICS-152	730	500	263	2600	Metal	35	M120	Middle pin		
ICS-153	927.5	698	458	3000	Metal	35	M120	Middle pin		
ICS-154	730	500	263	2600	Metal	35	M120	Middle pin		
ICS-171	732	642	200	2200	Metal	300	M120	Long pin	ICS-170	
ICS-173	472		200	1900	Metal	300	M120	Long pin	ICS-172	
ICS-190	728.5	630.5		2200	Plastic					
ICS-191	766	668		2300	Plastic					
ICS-192	855	757		2700	Plastic					
ICS-193	766	668		2650	Plastic					
ICS-200	762.5	587	229	2045	Metal	430	M120	Short pin		
ICS-201	1100		610	3600	Metal	25	M120	Short pin		
ICS-202	1100		610	3600	Metal	42	M120	Short pin		
ICS-220	873	778	375	3050	Metal	300	M120	Long pin		
ICS-221	873	778	375	3000	Metal	300	M120	Long pin		
ICS-225	828	733	263	3040	Metal	300	M120	Long pin		IMT-225-1
ICS-226	930	835	375	3200	Metal	300	M120	Long pin		IMT-226-1
ICS-227	987	892	420	3320	Metal	300	M120	Long pin		IMT-227-1
ICS-228	838	743	263	3200	Metal	300	M120	Long pin		IMT-228-1
ICS-233	746	716/476	263	2550	Plastic	300	M100	Short pin		
ICS-234	746	716/476	263	2550	Plastic	300	M100	Short pin		
ICS-235	746	716/476	263	2550	Plastic	300	M100	Short pin		
ICS-236	745	650	200	2600	Metal	300	M120	Long pin	ICS-237	IMT-236-1 IPT-237-1
ICS-238	980	885	303	3300	Metal	300	M120	Long pin	ICS-239	IMT-238-1 IPT-239-1
ICS-260	795	700	261	2587	Metal	300	M120	Long pin		IMT-260-1
ICS-261	906	811	372	2803	Metal	300	M120	Long pin		IMT-261-1
ICS-290	803	724	263	3190	Metal	300	M120	Long pin		MT-290-1
ICS-291	905	826	375	3350	Metal	300	M120	Long pin		IMT-291-1
ICS-292	962	883	420	3470	Metal	300	M120	Long pin		IMT-292-1
ICS-293	813	734	263	3350	Metal	300	M120	Long pin		IMT-293-1

^{*}ICS Plastic version AEGs deploy M100 spring setting and high speed infinite motor.

^{*}The receiver of ICS plastic version AEGs is made from reinforced engineering plastics.

^{*}Firing rate depends on the battery voltage and spring setting.

^{*}The specifications indicated above may be revised for meeting the requirements of law and regulations at various markets and areas; the AEG contents actually fetched shall prevail. ICS has the right to change the specifications without notice specifically.



Quality Management System

Certification





Please contact ICS for the information of worldwide distributors in NAFTA, Latin America, Europe, Africa, Asia and Oceania.


「創新科技、創意休閒」

「尊重人性、追求卓越」

「永續經營、共享共榮」



瓦斯動力系統 GBB system



AEG

40mm榴彈



40mm grenade



ICS M1 gearbox



7mm培林BOX 7mm bearing box



Hop up系統 Hop up adjustable



金屬槍身 Metal receiver



塑膠槍身 Plastic receiver



430連彈匣 430 pellets mag.



6mm BB彈 6mm BB pellet

8mm培林BOX

8mm bearing box



8mm BB彈 8mm BB pellet



M120彈簧 M120 spring



M100彈簧 M100 spring



長軸馬達 Motor (long axis)



ICS 分離式BOX ICS Split gearbox



ICS M1 BOX ICS Ver III gearbox



ICS L85 BOX ICS L85 gearbox



ICS M3 BOX ICS M3 gearbox



金屬槍身 Metal receiver



塑膠槍身 Plastic receiver



勿朝路人射擊 Fire to onlooker prohibition



ICS 3號BOX

勿朝動物射擊 Fire to animal prohibition



兒童請勿使用 Children prohibition



請勿吞食 Swallow prohibition



請配戴護目鏡 Please wear the eye protection



請詳閱説明書 Please refer the manual













一芝軒企業有限公司

I CHIH SHIVAN ENTERPRISE CO., LTD

WEB: www.icsbb.com
MAIL: ics@icsbb.com
TEL: +886-4-25256461











